## ANNEX III

## Concerning the annual ceilings

- 1. Imports into Turkey of the products originating in Macedonia listed in this Annex shall be subject to annual ceilings fixed for the year of entry into force of this Agreement being indicated against each product.
- Once a ceiling set for imports of a product is reached, the customs duties generally applied in respect of third countries may be reintroduced in respect of imports of the product in question until the end of the calendar year.
- 3. As from the second calendar year following the the entry into force of the Agreement, the amounts of the ceilings given in this Annex shall be increased by 5 % except that Turkey may extend for a period of one year the ceiling or ceilings set for the preceding year.
- 4. Turkey may suspend or reintroduce the ceilings on imports of products listed in this Annex in parallel with the ceilings set out in the Cooperation Agreement between the European Community and the Republic of Macedonia signed on 29 April 1997. The ceilings in question shall be abolished following the elimination of tariff ceilings applied by the European Community to Macedonia.
- 5. For certain products which it considers to be sensitive or whenever tariff ceilings established for industrial products not listed in this List, Turkey reserves the right to call upon the Joint Committee to determine special conditions for access to its market as may prove necessary.

The Joint Committee shall determine the conditions in question within three months from the date of notification. Failing a decision by the Joint Committee, Turkey may establish tariff ceilings for the products concerned.

 The Joint Committee shall examine periodically the implementation of annual ceilings.

Sayfa : 162	Antonio anto in a superior and a superior an	RESMÎ GAZETE 25 Temmuz 2000	– Sayı : 241
Turkish CN Codes	Macedonian CN Codes	Description	Ceiling (Tonnes)
2710 00		Petroleum oils and oils obtained from bituminous minerals, other than crude; preparations not elsewhere specified or included, containing by weight 70 % or more of petroleum oils or of oils obtained from bituminious minerals, these oils being the basic constituents of the preparations:	14,175
		- Light oils: For other purposes:	
		Special spirits:	
2710 00 21	2710 00 00 21	- <b>F</b>	
2710 00 25	2710 00 00 25	Other Other: Motor Spirit	
2710 00 26	2710 00 00 10		
2710 00 27	2710 00 00 12		
2710 00 29	2710 00 00 13	With an octane number of 95 but less than 98	
2710 00 32	2710 00 00 32	With an octane number of 98 or more	
		Exceeding 0,013 g per litre	
2710 00 34		With an octane number of less than 98	
2710 00 36		With an octane number of 98 or more	
710 00 37	2710 00 00 37	Spirit-type jet fuel	
710 00 39		Other light oils	
		- Medium oils	

.

## RESMÎ GAZETE

Sayfa: 163

5 Temmuz 200	0 – Sayı : 24120	RESMÎ GAZETE	Sayfa :
	-	- For other purposes:	14,175 (Continue
	-	- Kerosene:	
2710 00 51	2710 00 00 22 -	Jet Fuel	
2710 00 55	2710 00 00 23 -	Other	
2710 00 59	2710 00 00 29	Other	
		- Heavy oils:	
		Gas oils:	
		For other purposes:	
2710 00 66		<ul> <li>- With a sulphur content not exceeding 0,05</li> <li>% by weight</li> </ul>	
2710 00 67	2710 00 00 41	<ul> <li>- With a sulphur content exceeding 0,05 %</li> <li>by weight but not exceeding 0,2 % by weight</li> </ul>	
2710 00 68	2710 00 00 49	With a sulphur content exceeding 0,2 % by weight	
		Fuel oils	
		For other purposes	
2710 00 74		<ul> <li> With a sulphur content not exceeding 1 % by weight</li> </ul>	
2710 00 76		With a sulphur content exceeding 1 % by weight but not exceeding 2 % by weight	
2710 00 77		With a sulphur content exceeding 2 % by weight but not exceeding 2,8 % by weight	*
2710 00 78		With a sulphur content 2,8 % by weight	
		- Lubricating oils; other oils:	
2710 00 85		To be mixed in accordance with the term of additional note 6 to this chapter	s
		For other purposes	
2710 00 87	2710 00 00 87	7 Motor oils, compressor lube oils, turbin lube oils	e

Sayfa : 164		RESMÎ GAZETE 25 Temmuz 20	00 – Sayı : 24120
2710 00 88	2710 00 00 88	Liquids for hydraulic purposes	14,175
2710 00 89	2710 00 00 89	White oils, liquid paraffin	(Continued)
2710 0092	2710 00 00 92	Gear oils and reductor oils	
2710 00 94	2710 00 00 94	Metal-working compounds, mould release oils, anti-corrosion oils	
2710 00 96	2710 00 00 96	Electrical insulating oils	
2710 00 98	2710 00 00 98	Other lubricating oils and other oils	
2711	•	Petroleum gases and other gaseous hydrocarbons:	
		- Liquified:	
2711 12		Propane:	
		Propane of a purity not less than 99 %;	
2711 12 11		For use as a power of heating fuel	
	.	Other:	
	-	For other purposes	
2711 12 94	-	Of a purity esxceeding 90 % but less than 99 %	
2711 12 97	-	Other	
2711 13	-	- Butanes	
	-	For other purposes	
2711 13 91	- 9:	Of a purity exceeding 90 % but less than 5 %	
2711 13 97		Other	
2712	pe wa	etroleum jełły; paraffin wax, microcrystalline etroleum wax, slack wax, ozokerite, lignite ax, peat wax, other mineral waxes, and similar oducts obtained by synthesis or by other occesses, whether or not coloured:	
2712 10	- P	Petroleum jelly:	

. ,

.

.

.,

Temmuz 2000	) - Sayı : 24120	RESMÎ GAZETE	Sayfa : 1
2712 10 90	· 1	Other	14,175 (Continued
2712 20		- paraffin wax containing by weight less than 0,75 % of oil:	
2712 20 10		Synthetic praffin wax of a molecular weight of 460 or more but not exceeding 1 560	
2712 20 90		Other	
2712 90		- Other:	
		Other:	
		Crude:	
2712 90 39	r	For other purposes Other	
2712 90 91		<ul> <li>Blend of 1-alkenes containing by weight</li> <li>80 % or more of 1-alkanes of a chaing</li> <li>length of 24 carbon atoms or more but</li> <li>not exceeding 28 carbon atoms</li> </ul>	
2712 90 99		Other	
2713		Petroleum coke, petroleum bitumen and other residues of petroleum oils or of oils obtained from bituminous minerals:	
2713 90 90	2713 90 00 00	- Other	
3105		Mineral or chemical fertilizers containing two or three of the fertilizing elements nitrogen, phosphorus and potassium; other fertilizers; goods of this chapter in tablets or similar forms or in packages of a gross weight not exceeding 10 kg	1,200
4203		Articles of apparel and clothing accessories, of leather or of composition leather:	40
4203 10 00		- Articles of apparel	
		- Gloves, mittens and mitts:	
4203 21 00		Specially designed for use in sports	

[			
4203 29		Other	40
		Other	(Continued)
4203 29 91		Men's and boys'	
4203 29 99		Other	
4203 30 00		- Belts and bandoliers	
4203 40 00		- Other clothing accessories	
4412		Plywood, veneered panels and similar laminated wood	5.000 m <sup>3</sup>
4420		Wood marquetry and inlaid wood; caskets and cases for jewelry or cutlery, and similar articles, of wood; statuettes and other ornaments, of wood; wooden articles of furniture not falling in Chapter 94:	
4420 90		- Other	
		Wood marquetry and inlaid wood:	
4420 90 11	- -	Of tropical wood, as specified in additional note to this chapter	
420 90 19		Of other wood	
401		Waterproof footwear with outer soles and	75
		uppers of rubber or of plastics, the uppers of which are neither fixed to the sole nor assembled by stitching, riveting, nailing, screwing, plugging or similar processes	
102		Footwear with outer soles of rubber, plastics, leather or composition leather and uppers of leather	
03		Footwear with outer soles of rubber, plastics, leather or composition leather and uppers of leather	60

		RESMÎ GAZETE	Sayfa : 167
Temmuz 2000 –	Sayı : 24120		
7004 7004 20		<ul> <li>Drawn glass and blown glass, in sheets, whether or not having an absorbent, reflecting or non- reflecting layer:</li> <li>Glass, cloured throughout the mass (body tinted), opacified, flashed or non-reflecting layer:</li> </ul>	720
		Other	
		Other	
7004 20 99		- Other glass	ge.
7004 90		Horticultural sheet glass	
7004 90 70		Other of a thickness:	
7004 90 92		Not exceeding 2,5 mm	
7004 90 92		Excededing 2,5 mm	
7202		Ferro-alloys:	20.000
		- Ferro-silicon	
7202 21		Containing by weight more than 55 % of silicon:	
7202 21 10		Containing by weight more than 55 % but not more than 80 % of silicon	
7202 21 90		Containing by weight more than 80 % of silicon	
7202 29	7202 29 00	00 Other	
7202 29 10		<ul> <li> Containing by weight 4 % or more but no more than 10 % of magnesium</li> </ul>	t .
7202 29 90		Other	
7202 30 00		- Ferro-silico-manganese	5.00

		RESMI GAZETE 25 Temmuz 2000 – Sa	
7202 41		carbon	500 tinued
7202 41 10		Containing by weight more than 4 % but not more than 6 % of carbon	unuea <sub>.</sub>
		Containing by weight more than 6 % of carbon:	
7202 41 91		Containing by weight not more than 60 % of chromium	
7202 41 99		Containing by weight more than 60 % of chromium	
7202 49		Other:	
7202 49 10		Containing by weight not more than 0,05 % of carbon	
7202 49 50		Containing by weight more than 0,05 % but not more than 0,5 % of carbon	
7202 49 90		<ul> <li> Containing by weight more than 0,5 % but not more than 4 % of carbon</li> </ul>	
7304	·······	Tubes, pipes and hollow profiles, seamless, of 2.500 iron (other than cast iron) or steel:	)
7304 10		- Line pipe of a kind used for oil or gas	
304 10 10		<ul> <li>pipelines:</li> <li>- Of an external diameter not exceeding 168,3 mm</li> </ul>	
304 10 30		Of an external diameter exceeding 168,3 mm, but not exceeding 406,4 mm	
304 10 90		Of an external diamete exceeding 406,4 mm	
		- Casing, tubing and drill pipe, of a kind used in drilling for oil or gas:	
04 29		Other	
04 29 11		Of an external diameter not exceeding 406,4 mm	

7304 29 19		Of an external diameter exceeding 406,4 mm	2.500 (Continued)
	·	- Other, of circular cross-section, of iron or non- alloy steel:	
7304 31		Cold-drawn or cold rolled (cold-reduced)	
		Other:	
7304 31 91		Precision tubes	
7304 31 99		Other	
7304 39		Other:	
7304 39 10		Unworked, straight and of uniform wall- thickness, for use solely in the manufacture of tubes and pipes with other cross-sections and wall thicknesses	
		Other:	
		Other:	
		Other:	
		Threaded or threadabletubes (gas pipe):	
7304 39 51		Plated or cotaed with zinc	
7304 39 59		Other	
	· .	Other, of an external diameter:	
7304 39 91		Not exceeding 168,3 mm	
7304 39 93		Exceeding 168,3 mm, but not exceeding 406,4 mm	
7304 39 99		Exceeding 406,4 mm	
		- Other of circular cross-section, of stainless steel	í.
7304 41		Cold-drawn or cold-rolled (cold-reduced)	

7304 41 90		Other	2.500 (Continued)
7304 49		Other:	
7304 49 10		<ul> <li> Unworked, straight and of uniform wall- thickness, for use solely in the manufacture of tubes and pipes with other cross-sections and wall thicknesses</li> </ul>	
		Other:	
		Other:	
7304 49 91		Of an external diameter not exceeding 406,4 mm	
7304 49 99		Of an external diameter exceeding 406,4 mm	
		- Other, of circular cross-section, of other alloy steel:	
7304 51		Cold-drawn or cold-rolled (cold-reduced)	
	•	<ul> <li>Straight and of uniform wall-thickness, of alloy -steel containing by weight not less than 0,9 % but not more than 1,15 % of carbon, not less than 0,5 % but more than 2 % of chromium and, if present, not more than 0,5 % of molybdenum, of a length:</li> </ul>	
304 51 1 1		Not exceeding 4,5 m	
304 51 19		Exceeding 4,5 m	
		Other:	
		Other	
304 51 91		Precision tubes	
304 51 99		Other	
04 59		Other:	

Temmuz 200	0 – Sayı : 2412	) RESMÎ GAZETE	Sayfa : 171	=
1204 50 10		Unworked, straight and of uniform wall-	2.500	
7304 59 10		<ul> <li>Onworked, straight and of uniform wan- thickness, for use solely in the manufacture of tubes and pipes with other cross-sections and wall thicknesses</li> </ul>	(Continued)	une von skolu stan e verversenne en nu
		Other, straight and of uniform wall-	· .	
		thickness, of alloy steel containing by weighthot less than 0,9 % but not more than 1,15 % of carbon, not less than 0,5 % but not more than 2 % of chromium and if present, not more than 0,5 % of molybdenum, of a length:		
304 59 31		Not exceeding 4,5 m		
304 59 39		Exceeding 4,5 m		
		Other:		
		Other:		
304 59 91		Of an external diameter not exceeding 168,3 mm		
304 59 93		Of an external diameter exceeding 168,3 mm, but not exceeding 406,4 mm		
304 59 99		Of an external diameter exceeding 406,4 mm		
304 90		- Other:		
304 90 90		Other:		
305		Other tubes and pipes (for example, welded, riveted or similarly closed), having circular cross-sections, the external dimeter of which	÷	
		exceeds 406,4 mm, of iron or steel:		
306		Other tubes, pipes and hollow profiles (for example, open seam or welded, riveted or similarly closed), of iron or steel:		A contraction of the second seco
306 10		- Line pipe of a kind used for oil or gas pipelines:		
		Longitudinally welded, of an external diameter of:		
306 10 11		Not more than 168,3 mm		

.

.

	RESMÎ GAZETE 25 Temmuz 2000 – Sayı : 24	
7306 10 19	More than 168,3 mm, but not more than 2.500 406,4 mm	)
7306 10 90	Spirally welded	
7306 20 00	- Casing and tubing of a kind used in drilling for oil or gas	
7306 30	- Other, welded, of circular cross-section, of iron or non-alloy steel:	
	Other:	
	Precision tubes, with a wall thickness:	
7306 30 21	Not exceeding 2 mm	
7306 30 29	Exceeding 2 mm	
	Other:	
	Threaded or threadable tubes (gas pipe):	
7306 30 51	Plated or coated with zinc	
7306 30 59	Other	
	Other, of an external diameter:	
	Not exceeding 168,3 mm:	
7306 30 71	Plated or coated with zinc	
7306 30 78	Other	
7306 30 90	Exceeding 168,3 mm, but not exceeding 406,4 mm	
7306 40	- Other, welded, of circular cross-section, of stainless steel	
	Other:	
7306 40 91	Cold-drawn or cold-rolled (cold-reduced)	
7306 40 99	Other	
7306 50	- Other, welded, of circular cross-section of other alloy steel:	
	Other:	

25 Temmuz 2000 - Sayı : 24120

RESMÎ GAZETE

Sayfa : 173

7306 50 91	Precision tubes	2.500 Continued)
7306 50 99	Other	
7306 60	- Other, welded, of non-circular cross-section:	
1500 00	Other:	
	Of rectangular (including square) cross- section, with a wall thickness:	
7306 60 31	Not exceeding 2 mm	
7306 60 39	Exceeding 2 mm	
7306 60 90	Uf other sections	
7306 90 00	- Other	
7407	Copper bars, rods and profiles:	750
ex 7407 10	- Of refined copper:	
00	Hollow	
	- Of copper alloys:	
7407 21	Of copper-zinc base alloys (brass).	
ex 7407 21	Profiles	
90	Hollow	
7407 22	<ul> <li>Of copper-nickel base alloys (cupro-nickel) or copper-nickel-zinc base alooys (nicke silver):</li> </ul>	
ex740722 10	Of copper-nickel base alloys (cupro-nickel)	:
	Hollow	
ex740722 90	Of copper-nickel-zinc base alloys (nicke silver):	el ·
	Hollow	
ex740729 00	Other	
	Hollow	

	RESMÎ GAZETE 25 Temmuz 2000	) – Sayı : 24
7409	Copper plates, sheets and strip, of a thickness exceeding 0,15 mm	300
.7411	Copper tubes and pipes	750
7604	Aluminium bars, rods and profiles:	300
7604 10	- Of aluminium, not alloyed:	300
7604 10 10	Bars and rods	
7604 10 90	Profiles	
	- Of aluminium alloys:	
7604 29	Other:	
7604 29 10	Bars and rods	
7604 29 90	Profiles	
7605	Aluminium wire	
7606	Aluminium plates, sheets and strip, of a thickness exceeding 0,2 mm	
7901	Unwrought zinc:	2.000
	- Zinc, not alloyed:	2.000
7901 11 00	Containing by weight 99,99 % or more of zinc	
901 12	Containing by weight less than 99,99 % of zinc:	
901 12 10	Containing by weight 99,95 % or more bute less than 99,99 % of zinc	
001 12 30	Containing by weight 98,5 % or more but less than 99,99 % of zinc	
01 12 90	Containing by weight 97,5 % or more but less than 98,5 % of zinc	
01 20 00	- Zinc alloys	

25 Temmuz 2000 - Sayı : 24120

Sayfa : 175

ex 8544		Insulated (including enamelled or anodized) wire, cable (including coaxial cable) and other insulated electric conductors, whether or not fitted with connectors; optical fibre cables, made up of individually sheated fibres, whether or not assembled with electric conductors or fitted with connectors:	2.500
		- excluding products of CN codes 8544 30 10 and 8544 70 00	
8546	-	Electrical insulators of any material	150
9401	<u> </u>	Seats (other than those of heading No 9402), whether or not convertible into beds, and parts thereof:	1.000
9401 30		- Swivel seats with variable height adjustment:	
9401 30 10		Upholstered, with backrest and fitted with castors or glides	
9401 30 90		Other	
9401 40 00		- Seats other than garden seats of camping equipment, convertible into beds	
9401 50 00		<ul> <li>Seats of cane, osier, bamboo or similar materials</li> <li>Other seats, with wooden frames:</li> </ul>	
9401 61 00		Upholstered	
9401 69 00		Other - Other seats, with metal frames:	
9401 71 00		Upholstered	
9401 79 00		Other	
9401 80 00		- Other seats	
9401 90		- Parts:	
		Other:	
9401 90 30		Of wood	
9401 90 80		Other	